



ULTRA LOW VOLUME CONCENTRATE INSECTICIDE

MALATHION GROUP 1B INSECTICIDE

FIFRA 24(c)
Special Local Need Label
For Control of the Mexican Fruit Fly
in Citrus (Grapefruit and Oranges)
EPA SLN. No. TX-210004

FIFRA Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF TEXAS

This labeling cannot be distributed or used after December 31, 2025

EPA REG. No. 279-3540

EMERGENCY CALLS: 800-331-3148

IT IS A VIOLATION OF STATE AND FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Persons using this product must comply with all applicable directions, restrictions, and precautions found on this labeling and that of the label of the federally registered product upon which this amendment is based. This label and the federal label for this product must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label.

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
Keep Out of Reach of Children

Harmful by swallowing, inhalation or skin contact. Avoid contact with skin. Avoid breathing spray mist. Do not contaminate food or feed products.

IN CASE OF A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL TOLL-FREE, DAY OR NIGHT, 1-(800)-331-3148

FIRST AID

This product is an organophosphate and is a cholinesterase inhibitor.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: This pesticide is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-(800)-331-3148 for emergency medical treatment information.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber, nitrile rubber, and viton. If you want more options, follow the instructions for category F on an EPA chemical-resistance category selection chart.

Applicators, flaggers, and other handlers must wear:

- Long sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves (pilots must wear chemical-resistant gloves only when entering or exiting the aircraft)

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms. Before beginning treatment, notify all registered apiarists in or near the treatment area of the date and approximate time of treatment.

Reporting Ecological Incidents: To report ecological incidents, including mortality, injury, or harm to plants and animals, call 1-800-331-3148.

This product may contaminate water through drift of spray in wind. This product has a high potential for runoff after application. Use care when applying in or to an area which is adjacent to any body of water, and do not apply when weather conditions favor drift from target area. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall-runoff.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

IMPORTANT NOTICE

All applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA registered label are to be followed. Undiluted spray droplets of Fyfanon ULV AG will permanently damage vehicle paint finishes.

This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label.

DIRECTIONS FOR USE

Crop/Site	Target Pest	Application Rate	Droplet Size	Method of Application	Minimum Retreatment Interval (days)	Maximum Number of Applications per Year
Grapefruits	Mexican Fruit Fly	2.4 oz Malathion formulation to 9.6 oz protein hydrolysate per acre	6-8 mm	Aerial or ground	7	10
Oranges						10
<ul style="list-style-type: none">• Pre-Harvest Interval is 1 day.• The maximum application rate is 0.175 pounds active ingredient per acre.• Foliage must be dry when application is made.• Apply to underside of canopy if treatment is by ground.						

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or tribe, consult the agency responsible for pesticide regulation. Do not apply this product when soil is saturated, or when a storm event likely to produce runoff from the treated area is forecasted (by NOAA/National Weather Service, or other similar forecasting service) to occur within 48 hours following application.

Use Restriction: Aerial application is prohibited to adjacent non-croplands containing humans, domestic animals or occupied structures unless prior written informed consent is obtained from landowner(s) and occupant(s). Group application to adjacent non-croplands containing humans, domestic animals or occupied structures must be made with spray application directed away from occupied structures/humans/animals.

The interaction of equipment and weather-related factors determines the potential for spray drift. Apply only when weather conditions are favorable. Wind and rising air currents may cause undesirable spray drift and reduce insect control. Temperature inversions can restrict vertical air mixing. Do not make aerial applications during temperature inversions due to the high potential for drift.

This product may not be applied through any type of irrigation equipment.



24(c) Registrant
FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104

Fyfanon® is a trademark of FMC Corporation or an affiliate
© 2022 All rights reserved.